



# STORAGE SOLUTIONS FOR KITCHENS





### **VAUTH-SAGEL**



For over 50 years, the owner-run family company has been developing, manufacturing and distributing system components of various materials for the medical/care, automotive and caravanning sectors as well as innovative storage space systems for the kitchen and furniture industry. Furthermore, the company offers complete office and care solutions for customers across the globe. To this end, Vauth-Sagel specifically deploys its many years of wire, steel, sheet metal, wood and plastic material competencies.

Around 850 employees develop and manufacture far more than 85 million 'Made in Germany' quality products each year. In-house logistics and a global sales and distribution team round off the tailored range of products and services for clients throughout the world.

This is our understanding of »Added value, Made in Germany«.



### CC-PRODUCTS OY



CC - Products Oy is a Finnish family - owned company specializing in imports and wholesale. Our business - idea is to offer our customers leading quality, great product range and service, which are important factors for success in the demanding times.

To our product - range belongs components for sliding doors, cabinets for sliding doors and kitchen, and mechanisms and cabinets for kitchen.

All our logistic functions are centralized to Lapinjärvi, 90 km east from Helsinki. Modern, 13 000 m² storage space enable us to deliver all our products effectively and fast, from the same place. Economical stability is very important for long-term business relationships, which is why that we are proud to have gotton the Good Credithworthiness - certificate from Soliditet Ltd.

In addition to our competitive prices, we also have invested in the efficiency and smoothness of all our activities. Therefore it is not a coincidence, that you can find the most competitive products, competent service and rapid deliveries from us.







### A quality kitchen adds to the quality of life

The kitchen is the hub of the home, on all continents. To a different degree in different cultures, and designed according to the home owners' tastes and lifestyle – however, it is always the place where everyone meets. A place where you not only cook and eat meals together but also talk, laugh and interact. A kitchen that is perfectly geared towards the needs of its users, makes optimum use of the space available, and combines high quality materials with comfort, functionality and aesthetics is the ideal we have subscribed to for over 50 years. Based on four themed scenarios, we would like to show you just how many faces this ideal kitchen can have – and also illustrate the range of possibilities our storage systems and system components offer. Planning your dream kitchen can be a challenge. With the help of our kitchen scenarios, we want to shift the focus on the fun of planning your kitchen – to make sure that your personal ideal dream kitchen turns into reality as quickly as possible.

# MANY PEOPLE ARE LOOKING FOR INDIVIDUALITY IN THEIR KITCHEN.



# WE CAN PROVIDE IT.







# Content

Storage versions	10
Base Cabinets	
Pull-out storage unit	14
DSA base unit side pull-out	16
Base liner	18
Basket pull-out	20
Pull-out storage basket	22
Waste bin systems	
Öko liner	26
Organisation drawer	28
Öko xxliner	30
Öko center	32
Corner cabinets	
CORNERSTONE	36
Twin corner	40
Slide corner	42
Wari corner	44
Flex corner	48
Recorner maxx	52
Tall cabinets	
VSA 300/400 pull-out storage unit	56
VSA pull-out storage unit	60
DUSA pull-out storage unit	64
HSA pull-out storage unit	66
HSA rotary pull-out storage unit	70
HSA power move	72
KI50 bottle pull-out	74
KI50 tall pull-out	76
Miscellaneous and Accessories	
T.O.M.	78
Competences	80
The best solutions for the most sectors	82
Dependable Quality »Made in Germany«	84
Ecology and sustainability	86
A family consortium	88





Saphir Saphir mesh chrome wire basket.

### STORAGE VERSIONS BASKETS

#### Four storage versions for maximum flexibility.


The entire Vauth-Sagel basket programme is available as a modular system, which allows the combination of guides and frames with all four storage options.



Premea solid white wooden base with chrome wire frame.



Premea Glassline Solid white wooden base with chrome wire frame and clear glass sides.



Premea Artline Solid white wooden base with chrome wire frame and clear glass sides.

### **STORAGE VERSIONS ROUND SHELVES**

Two storage versions for every design preference.

Vauth-Sagel will design a round base exactly to your requirements. There are two very different forms to choose from.



White shelf with chrome edge and chrome rail.



White shelf with chrome edge.





# BASE CABINETS





Baking tray storage



Towel holder

### PULL-OUT STORAGE UNIT

The multi-level pull-out makes use of even the tiniest space.


Two fixed racks transform the smallest gap into a stacking-space miracle for storing towels or baking trays.


#### **Details**

- Cabinet width: 150 mm
- Minimum installation depth: 495 mm
- Minimum installation height: 530 mm
- EasyFit: tool-free installation onto the runners
- Three versions: two storage racks, towel holder and baking tray storage
- 3-D front adjustment allows simple, convenient front adjustment
- Integral soft-closing and self-closing on both runners
- Maximum load-bearing: 12 kg

Art. No.	Cabinet width	Details	TR
0190001949	150 mm	Pull-out 2 shelves, RAL9006	0200
0290001950	150 mm	Pull-out towel holder, RAL9006	0200
0390002784	150 mm	Basket divider, RAL9006	0200
04190004110	150 mm	Pull-out 2 shelves, chrome	0200
04290004111	150 mm	Pull-out towel holder, chrome	0200
04390004112	150 mm	Pull-out baking tray holder, chrome	0200
0390002784	150 mm	Basket divider, RAL9006	0200

#### Cabinet dimension









DSA Saphir

### DSA BASE UNIT SIDE PULL-OUT

A new look for the traditional base unit solution.

The traditional system that fits into any space has been redeveloped in terms of design and functionality. The basic pull-out, which fits into any space, is an unbeatable bestseller.


#### Details

- Cabinet widths: 200, 300 and 400 mm
- Minimum installation depth: 495 mm
- Minimum installation height: 580 mm
- EasyFit: tool-free connection to front
- Individual height adjustment for baskets
- 3-D front adjustment allows simple, convenient front adjustment
- Integral soft-closing and self-closing on both runners
- Installation template: no measuring necessary when installing into cabinet
- Maximum load-bearing: 20 kg
- Storage versions: Saphir, Premea and Premea Glassline

Please order frame and basket sets separate.

Art. No.	Cabinet width	Details	TR
0490001664		DSA-2 frame, RAL9006	0205
0590001553	200 mm	DSA basket W90, Saphir chrome	0205
0690001541	300 mm	DSA basket W90, Saphir chrome	0205
0690003721	400 mm	DSA basket W90, Saphir chrome	0205
0790002873	200 mm	DSA basket W90, Premea chrome	0205
0890002042	300 mm	DSA basket W90, Premea chrome	0205
119290004583	300 mm	DSA basket W90, Premea Glassline	0205
119290004334		DSA W90, Glass sides at 50% discount until stock is finished	0205
1090001577	300 mm	DSA basket W45, Saphir left chrome	0205
1190001583	300 mm	DSA basket W45, Saphir right chrome	0205
0990002629	300 mm	DSA basket divider	0205

#### Cabinet dimension





### **BASE LINER**

#### The variable storage space system for base cabinets.

Height-adjustable storage elements are on either side at the second and third level to individually adjust the storage heights. To use the available storage space even more flexibly and individually bottle storage elements can be ordered instead. Thanks to an integrated damping, opening and shutting the base cabinet operates extremely quietly.


#### **Details**


- Cabinet widths: 500 and 600 mm
- Minimum installation depth: 470 mm
- Installation height: 650 and 850 mm
- Height-adjustable storage elements at the second and third level
- Storage units for bottles
- Individual height adjustment for baskets
- 3-D front adjustment allows simple, convenient front adjustment
- Integral soft-closing and self-closing on both runners
- Maximum load-bearing: 40 kg
- Storage version: Saphir

Please order frame and basket sets separate.

Art. No.	Cabinet width	Details	TR
119A90004202		Base liner frame M5-M6, RAL9006	0210
119B90004279	500 mm	Base liner lower basket, Saphir, chrome	0210
119C90004280	600 mm	Base liner lower basket, Saphir, chrome	0210
119D90004282	500 mm	Base liner upper basket, Saphir, chrome	0210
119E90004283	600 mm	Base liner upper basket, Saphir, chrome	0210
119F90004291		Base liner M5-M6 bottle rack, chrome	0210

#### Cabinet dimension





Cabinet width 500 mm

Baskets	Width	Depth
Upper basket	212 mm	430 mm
Lower basket	450 mm	430 mm

Cabinet width 600 mm

Baskets	Width	Depth
Upper basket	262 mm	430 mm
Lower basket	550 mm	430 mm





Basket pull-out Saphir

### **BASKET PULL-OUT**

A useful storage basket for hinged door cabinets or cabinets with door fronts.

It can be easily retrofitted into a set up kitchen.

#### **Details**

- Cabinet widths: 500, 600 and 800 mm
- The inner pull-out can be made into a front pull-out my mounting the front connection after assembly
- Variant with spacing strip for installation behind a door
- Mounting of the baskets on the guides without tools
- Full pull-out with damping
- Load capacity: 30 kg per basket
- Storage versions: Saphir

#### Front pull-out basket


Art. No.	Cabinet width	Details	TR
IIA90000947	500 mm	Front pull-out basket, Saphir, chrome	0215
1290000959	600 mm	Front pull-out basket, Saphir, chrome	0215
1390001527	800 mm	Front pull-out basket, Saphir, chrome	0215
1490001048		Front brackets	0215


Note: Please order one set front brackets

#### Basket pull-out

Art. No.	Cabinet width	Details	TR
1590000953	600 mm	Basket pull-out, Saphir, chrome	0215
1690001521	800 mm	Basket pull-out, Saphir, chrome	0215

#### Cabinet dimension







### PULL-OUT STORAGE BASKET

It can be easily retrofitted into a set up kitchen.

#### **Details**


- Mounting of the baskets on the guides without tools
- Full pull-out with damping
- Load-capacity: 30 kg per basket
- Installation height: 145 mm basket height


185 mm with guide and front connector


■ Basket variant: Saphir

Art. No.	Cabinet width	Details	TR
1790002106	800 mm	Basket for sink base, chrome	0215

#### Cabinet dimension









# WASTE BIN SYSTEMS





Öko liner two-bin version (2x16 litre)

### ÖKO LINER WASTE BIN SYSTEM

The smart solution for clean, convenient waste disposal.

This space-effective, ultra-hygienic system with its choice of bin capacity is the perfect solution for every kitchen. The bins are constructed of high-grade plastic and are easy to clean. The soft-close pull-out guarantees quiet, effortless closing.

#### **Details**

Cabinet widths: 400, 450, 500 and 600 mm

■ Installation depth: 464 mm

■ Installation height: 370 mm


■ EasyFit: tool-free installation of bin support onto the runners

■ Integral installation template: no measuring necessary when installing into cabinet

■ Integral 3-D front adjustment using an excenter

■ Integral soft-closing and self-closing on both versions


Additional storage available on powder-coated removable lid




Art. No.	Width	Details	Capacity	TR
1847001111	400 mm	Öko liner	2×10 litre	0220
1947001112	450 mm	Öko liner	2×16 litre	0220
2047001114	500 mm	Öko liner	2×10 and 1×16 litre	0220
2147001117	600 mm	Öko liner	2x10 and 1x22 litre	0220
21A47001118	600 mm	Öko liner	2×22 litre	0220
91001290		Öko liner, bin	I×10 litre	0220
91001291		Öko liner, bin	I×16 litre	0220

Note: Set includes bins

#### Cabinet dimension











Standard delivery: Organisation drawer with 1x1.2 and 1x2.7 litre boxes.

### ORGANISATION DRAWER

The intelligent, add-on storage solution for base cabinets.

The add-on module that acts as an organisation drawer and enhances the waste bin system with an innovative storage solution for kitchen base cabinets. Thanks to the multifunctional fitting options, plastic containers can be variably mounted in the frame construction – depending on the position of the water connections in the base cabinet – and used as handy containers for storing cleaning and kitchen utensils. Mounted on two full pull-outs, the Organisation drawer opens smoothly and closes with gentle attenuation. The mounting with EasyFit and pre-fixing template is just as easy as the handling is convenient.

#### **Details**

Cabinet widths: 500 and 600 mm

■ Installation depth: 490 mm

■ Installation height: 100 mm


■ EasyFit: tool-free installation of bin support onto the runners


- Integral installation template: no measuring necessary when installing into cabinet
- Integral soft-closing and self-closing on both versions

Art. No.	Width	Details	Capacity	TR
90006059	500 mm	Organisation drawer	IxI.2 and Ix2.7 litre	0222
90006060	600 mm	Organisation drawer	IxI.2 and Ix2.7 litre	0222
990006061		Box for organisation drawer	2.7 litre dishes	0222
90006062		Box for organisation drawer	1.2 litre dishes	0222

Note: Set includes organisation drawer with 1x1.2 and 1x2.7 litre boxes

#### Cabinet dimension







### ÖKO XXLINER WASTE BIN SYSTEM

#### Large capacity in a small cabinet.

The space-saving Öko xxliner, with its own rail system, automatic closure and soft-close can be installed laterally in a very small kitchen unit, not necessarily below the sink, providing high-capacity, convenient waste disposal close to the worktop.


#### **Details**

- Cabinet widths: 500 and 600 mm
- Minimum installation depth: 515 mm
- Minimum installation height: 580 mm
- Integral 3-D front adjustment using an excenter
- Integral soft-closing and self-closing on both versions
- Additional storage available using powder-coated lid
- Total capacity system: 70 to 91 litres

Art. No.	Width	Details	Capacity	TR
90005907	500 mm	Öko xxliner maxi	2×35 litre	0221
990005906	600 mm	Öko xxliner	1x21 and 2x35 litre	0221

Note: Set includes bins

#### Cabinet dimension





### ÖKO CENTER WASTE BIN SYSTEM

The hygienic, flexible and practical waste bin system.

When the system is opened the lid lifts up and the bins swing out; when the system is closed, the lid is automatically replaced on the bins. Cleanliness and hygiene are of prime importance. The bins are constructed of high-grade plastic with extra-smooth sides, making them easier to clean.


#### **Details**


- Minimum cabinet width: 500 mm
- Minimum installation depth: 450 mm
- Minimum installation height: 525 mm
- EasyFit: tool-free removal and replacement after initial installation
- No additional strain on the front
- Bins swing out automatically when the door is opened
- Can be combined with all standard hinges
- Total capacity system: 39 litre

Art. No.	Width	Details	Capacity	TR
2247001061	500 mm	Öko center, 3 bins	Ix9, IxI2 and IxI8 litre	0225

Note: Set includes bins

#### Cabinet dimension









## **CORNER CABINETS**



### CORNERSTONE

### The new corner unit solution.

A CORNERSTONE carousel moves the entire contents in front of the unit, thereby unlocking completely new design perspectives. Each shelf can be attached at the required height, and the shelves disappear back inside the unit when the door is closed.

### The corner is the new centre

CORNERSTONE brings the entire contents in front of the cabinet and introduces a whole new perspective. The storage units swing in front of the cabinet, providing perfect access without covering adjacent areas.

### Perfect attention to detail

CORNERSTONE is simple and clever: the shapely storage units adapt to any mounting situation, whether on the left or on the right. With the new catch and door deflector, opening and closing the cupboard is child's play.

### Minimal mounting

The CORNERSTONE corner cabinet solutions need only one fixing point on the mullion or standpipe. This means more storage space and incredibly easy to assemble.

### Focus on design

The design of the CORNERSTONE corner cabinet solutions is straightforward and minimalist. The chosen materials meet the highest standards.

- Cabinet widths: 900 and 1000 mm
- Door widths: 450 and 500 mm
- EasyFit method: no tools needed to attach the storage elements to the central tube
- No tools needed to adjust the shelf height
- The upper shelf closes automatically when shutting the door thanks to a castor wheel
- The lower shelf slides out automatically thanks to a carrier mechanism
- System load carrying capacity: max. 20 kg per shelf
- Storage versions: Basic


### TIME TO RETHINK THE CORNER.


In kitchens around the world, corners are waiting to be discovered. The plans for many kitchens are based on the corner, but in most cases the existing space is often neglected, hidden and in some cases even forgotten. In the kitchen planning process, corner cabinets don't play a central role.

Vauth-Sagel thinks differently; Vauth-Sagel thinks in new ways: with the CORNERSTONE system solutions, the corner is coming out of the closet and brings the entire contents out in front of the cabinet.



Cabinet dimension Product dimension






Cabinet width	Width	Depth
800 mm	736 mm	336 mm
900 mm	835 mm	361 mm
1000 mm	928 mm	401 mm

### How to order CORNERSTONE:

- I. Select CORNERSTONE
- 2. Order CORNERSTONE connecting for blind side panel

Art. No.	Door width	Cabinet width	Details	TR
90006799	400/396	800 mm	CORNERSTONE, Basic, left hand version	0228
90006800	400/396	800 mm	CORNERSTONE, Basic, right hand version	0228
90006801	450/446	900 mm	CORNERSTONE, Basic, left hand version	0228
90006802	450/446	900 mm	CORNERSTONE, Basic, right hand version	0228
90006803	500/496	1000 mm	CORNERSTONE, Basic, left hand version	0228
90006804	500/496	1000 mm	CORNERSTONE, Basic, right hand version	0228
90006714			CORNERSTONE fitting, connecting to blind side panel	0228

Note: Set includes two white chrome shelves



Note: Set includes two white chrome shelves





Twin corner Basic

## TWIN CORNER

### Elegant use of storage in a corner unit.

The combined sequence of movements swings both storage units into the user's reach at the same time, giving the user a very convenient way to access stored goods. All this with an elegant and shapely profile.

### **Details**

- Cabinet widths: 900 and 1000 mm
- Minimum installation depth: 490 mm
- Minimum installation height: 500 mm
- EasyFit: tool-free installtion of storage units onto the supporting arms
- Left and right handed
- Maximum load-bearing 20 kg per shelf





Diagram shows a right hand version

Art. No.	Cabinet width	Details	TR
2590002260	900 mm	Twin corner, Rail, left hand version	0230
2690002261	900 mm	Twin corner, Rail, right hand version	0230
2390002274	1000 mm	Twin corner, Rail, left hand version	0230
2490002275	1000 mm	Twin corner, Rail, right hand version	0230
2790003590	1000 mm	Twin corner, Basic, left hand version	0230
2890003591	1000 mm	Twin corner, Basic, right hand version	0230

### Cabinet dimension

## 900 | 1000 mm 16-19 mm 490 mm min. 461 mm max. 25 mm



Cabinet width	Width	Depth
900 mm	778 mm	265 mm
1000 mm	820 mm	295 mm



## SLIDE CORNER

A perfect all-round concept for the optimum use of storage space in a corner unit.

The special movement Slide corner allows comfortable access to even the smallest space. Adjacent items such as a dishwasher can be opened at the same time.

### **Details**

■ Cabinet width: 1000 mm


■ Minimum installation depth: 490 mm


■ Installation height: 500 mm

■ EasyFit: tool-free installtion of storage units onto the supporting

■ The bases can be opened independently


■ Maximum load-bearing 15 kg per shelf





Art. No.	Cabinet width	Details	TR
2590003022	1000 mm	Slide corner, Rail, left hand version	0235
2690003021	1000 mm	Slide corner, Rail, right hand version	0235

### Cabinet dimension





Cabinet width	Width	Depth
1000 mm	897 mm	322 mm





Wari corner Saphir



Wari corner Glassline

## WARI CORNER

### The classic among corner unit solutions.

The Wari corner unit makes access easy because of its user-friendly movement sequence when it is opened. Stored goods can be reached easily as the front baskets swing out in one smooth, fluid movement as it opens, making it easy to reach the rear baskets which then move forward into the front section of the unit. The integral self-closing damping unit guarantees quiet, effortless closure of the pull-out.

- Cabinet widths: 900 and 1000 mm
- Door widths: 450 and 500 mm
- Minimum installation depth: 485 mm
- Minimum installation height: 530 mm
- EasyFit: tool-free installation of the front onto pull-out
- 3-D front adjustment allows simple, convenient front adjustment
- Individual height adjustment for baskets
- Maximum load: 8 kg per front basket, 9.5 kg per rear basket
- Maximum load-bearing: 35 kg
- Storage versions: Saphir, Premea and Premea Glassline




Left hand version



Right hand version





	Rear basket	Width
Front basket		Height
Height 1		Depth
Depth	Width	

Door	A	В
400 mm	1000 mm	361 mm
≥ 450 mm	≥ 900 mm	≥411 mm

Basket size I 900 mm	Width	Depth	Saphir	Premea / Premea Glassline
Front basket	450 mm	230 mm	75 mm	84 mm
Rear basket	330 mm	370 mm	75 mm	84 mm

Basket size 2 1000 mm	Width	Depth	Saphir	Premea / Premea Glassline
Front basket	450 mm	350 mm	75 mm	84 mm
Rear basket	470 mm	370 mm	75 mm	84 mm

### Wari corner set

Art. No.	Cabinet width	Details	TR
2790003188	900/446 mm	Wari corner, left hand version, Saphir baskets, 496 mm	0240
2890003187	900/446 mm	Wari corner, right hand version, Saphir baskets, 496 mm	0240
2990003300	900/446 mm	Wari corner, left hand version, Premea baskets, 496 mm	0240
3090003301	900/446 mm	Wari corner, right hand version, Premea baskets, 496 mm	0240
289A90004862	900/446 mm	Wari corner, left hand version, Premea Glassline, 496 mm	0240
289B9000486I	900/446 mm	Wari corner, right hand version, Premea Glassline, 496 mm	0240
3090004093	1000/496 mm	Wari corner, left hand version, Saphir baskets, 396 mm	0240
3090004094	1000/496 mm	Wari corner, right hand version, Saphir baskets, 396 mm	0240
289C90004329		Wari corner, Glass sides at 50% discount until stock is finished	0240

Note: Set includes Wari corner frame and basket set.








## **FLEX CORNER**

Maximum access in any corner cabinet makes the best use of storage space and keeps things organized and accessible.


Flex corner maximizes space in corner cabinets while allowing full accessibility to the entire unit. Right and left handed versions are identical. This non-handed corner unit is easily installed to the bottom of the cabinet. With the Flex corner all the space in corner cabinets is turned into functional, reliable and stylish storage space.

- Cabinet widths: 900, 1000 and 1200 mm
- Door widths: 450, 500 and 600 mm
- Installation depth: 500 mm
- Installation height: min. 530 mm
- Individual height adjustment for baskets
- Installation template: no measuring necessary when installing into cabinet
- Integral soft-closing and self-closing on both pull-outs
- Maximum load: 8 kg per basket
- Maximum load-bearing: 32 kg
- Storage versions: Saphir





	K900	K1000	K1200
Door width A	≥ 381 mm	≥ 445 mm	≥ 521 mm



Size 900 mm	Width A	Depth B
Front basket	280 mm	415 mm
Rear basket	280 mm	415 mm
Size 1000 mm	Width A	Depth B
Front basket	350 mm	415 mm
Rear basket	325 mm	415 mm
Size I200 mm	Width A	Depth B
Front basket	350 mm	415 mm
Rear basket	400 mm	415 mm

### How to order Flex corner:

- I. Select Flex corner frame.
- 2. Select Flex corner basket sets.

### Flex corner frame

Art. No.	Door width	Cabinet width	Details	TR
90006112	450 mm	900 mm	Flex corner, frame	0242
90006113	500/600 mm	1000/1200 mm	Flex corner, frame	0242

### Flex corner basket sets

Art. No.	Door width	Cabinet width	Details	TR
90006114	450/446 mm	900 mm	Flex corner, Saphir chrome	0242
90006115	500/496 mm	1000 mm	Flex corner, Saphir chrome	0242
90006116	600/596 mm	1200 mm	Flex corner, Saphir chrome	0242

Note: Set includes two front baskets and two rear baskets.





Recorner maxx 4/4 Rail

### RECORNER MAXX

The corner unit solution with optimum storage space.

The Recorner maxx corner unit solutions stands out because of its unique construction. There are no central, space-taking uprights. This creates up to 20 percent more storage space in the middle oft the base, ideal for storing awkward kitchen utensils. The bases are stabilised by a traverse that runs through the cabinet. It also wins out aesthetically: no more visually distracting parts. The mechanics are practicaly invisible.


### **Details**

- Cabinet width 900×900 mm
- Minimum installation depth: 490 mm
- Installation height: 620 mm
- EasyFit: tool-free installtion of storage units onto the supporting arms
- Flexible base positioning irrespective of cabinet height
- Can be installed in lower units, high units and wall units
- Can be installed into an existing kitchen
- Maximum load-bearing: 27.5 kg per base

Art. No.	Cabinet width	Details	TR
30A90003855	900 mm	Recorner maxx 3/4, Rail	0245

Note: Set includes two white shelves with chrome edge and chrome railing.

### Cabinet dimension



Recorner maxx 3/4 Rail





## TALL CABINETS





VSA 300 Saphir

# VSA 300/400 PULL-OUT STORAGE UNIT

The storage solution wonders for narrow cabinet.

The practical storage cabinet pull-out with a flowing opening movement uses narrow cabinets for optimal storage space. With a single grip it provides an insight into the entire contents of the cabinet. The elegant tall cabinet solution with a door opening of 160° offers individual, ideal adjustment to the cabinet contents by height-adjustable shelves. Storage containers and packaging find a suitable place here. They are easily visible and thus ready to hand. With only one pull the total inventories are placed in front of the cabinet - the optimal storage solution.

- Cabinet widths: 300 and 400 mm
- Minimum installation depth: 480 mm
- Installation height: VSA: 1700 1950 mm (5 baskets)
- EasyFit: tool-free installation of frame onto the lower runners
- EasyFit: tool-free attachment of carriers to mounting frame
- Individual height adjustment for baskets
- Maximum load-bearing: 75 kg
- Storage versions: Saphir




### How to order VSA:

- I. Order VSA runner.
- 2. Order VSA frame according to your cabinet height.
- 3. Select VSA basket set.

### VSA frame

Art. No.	Cabinet width	Details
90005451		VSA runner
90006295	300 mm	VSA, frame 1700 - 1950 mm (5 baskets required)
90005582	400 mm	VSA, frame 1700 - 1950 mm (5 baskets required)


### Cabinet dimension



### VSA basket set

Art. No.	Cabinet width	Details
90006309	300 mm	VSA, Saphir, chrome (includes 5 baskets)
90006310	400 mm	VSA, Saphir, chrome (includes 5 baskets)

Note: Set includes required baskets.





# VSA PULL-OUT LARDER UNIT

Complete pull-out and elegant design allows access to the contents of every basket.

The front opens and slides shut easily and silently thanks to damping and self-closing on the full-extension runners. The frame and front attachment have a unified high-quality double-powder-coated surface.

- Cabinet widths: 500 and 600 mm
- Installation depth: 480 mm
- Installation height: VSA: 1700 1950 mm (5 baskets)
- EasyFit: tool-free installation of frame onto the lower runners
- EasyFit: tool-free attachment of carriers to mounting frame
- Individual height adjustment for baskets
- Maximum load-bearing: 75 kg
- Storage versions: Saphir




### How to order VSA:

- I. Order VSA runner.
- 2. Select VSA frame according to your cabinet width.
- 3. Select VSA basket set.

### VSA runner and frame

Art. No.	Cabinet width	Details	TR
4790005451		VSA runner	0258
4890005454	500 mm	VSA, frame: 1700 - 1950 mm (5 baskets required)	0258

### Cabinet dimension




Note: Recommended hinges ~110° to 115° (not included). If soft-closing required, hinges with damper must be used.

### VSA basket sets

Art. No.	Cabinet width	Details	TR
5090005468	500 mm	VSA, Saphir chrome baskets	0258
5190005469	600 mm	VSA, Saphir chrome baskets	0258

Note: Set includes 5 baskets.



Cabinet width	Width
500 mm	400 mm
600 mm	500 mm



## DUSA PULL-OUT LARDER UNIT

The proven classic DUSA pull-out storage unit guarantees high degrees of convenience.

Its extraordinary user-friendliness, its high safety standards and its harmonious design make it an element that you do not want to miss in a state-of-the-art kitchen. The fitting not only provides large storage space, but also fulfills all the requirements of a comfortable storage space solution. This can go up to a chef pantry, where two storage cabinets are arranged next to each other, representing an impressive appearance when opened from the center.

#### **Details**

■ Cabinet widths: 500 and 600 mm

■ Minimum Installation depth: 503 mm

■ Installation height:


DUSA: 1700 - 1950 mm (5 rear and 5 front baskets)


- EasyFit: tool-free installation of frame onto the lower runners
- EasyFit: tool-free attachment of carriers to mounting frame
- Individual height adjustment for baskets
- Maximum load-bearing: 20 kg door (5 kg per basket)
   80 kg slide (20 kg per basket)
- Storage versions: Saphir

Art. No.	Cabinet width	Details	TR
4790002949	500 mm	DUSA, Saphir chrome baskets	0260
4890002952	600 mm	DUSA, Saphir chrome baskets	0260

Note: Set includes frame, front frame, two carrying arms and basket set.

### Cabinet dimension









HSA Saphir



HSA Premea Glassline

## HSA PULL-OUT LARDER UNIT

Complete pull-out and elegant design allows access to the contents of every basket.

The front opens and slides shut easily and silently thanks to damping and self-closing on the full-extension runners. The frame and front attachment have a unified high-quality double-powder-coated surface.

### **Details**

■ Cabinet widths: 300, 400 and 500 mm

■ Installation depth: 500 mm

■ Installation height: HSA: I200 - I450 mm (4 baskets)

HSA: 1700 - 1950 mm (5 baskets)

- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows simple, convenient front adjustment
- Front stabilised by fascia strips
- Individual height adjustment for baskets
- Heavy-duty, noise-restricted roller guides
- Synchronised upper and lower end stops
- Damping with self-closing
- Maximum load-bearing: 80 kg
- Maximum total load-bearing: 120 kg
- Storage versions: Saphir, Premea and Premea Glassline




### How to order HSA:

- I. Order HSA runner.
- 2. Select HSA frame according to your cabinet height.
- 3. Select HSA front attachment according to your cabinet width.
- 4. Add number of required HSA baskets.

### HSA runner, frame and front attachment

Art. No.	Cabinet width	Details	TR
4490004527		HSA runner	0251
3290002145		HSA, frame: 1200 - 1450 mm	0250
3190002147		HSA, frame: 1700 - 1950 mm	0250
4090001278	300 mm	HSA front attachment	0250
4190001244	400 mm	HSA front attachment	0250
4290001248	500 mm	HSA front attachment	0250
3390000578	300 mm	HSA, Saphir chrome baskets (2 pcs.)	0250
3490000582	300 mm	HSA, Saphir chrome baskets (3 pcs.)	0250
3590000580	400 mm	HSA, Saphir chrome baskets (2 pcs.)	0250
3690000584	400 mm	HSA, Saphir chrome baskets (3 pcs.)	0250
3790000580A	500 mm	HSA, Saphir chrome baskets (2 pcs.)	0250
3890000584B	500 mm	HSA, Saphir chrome baskets (3 pcs.)	0250
3990003584	300 mm	HSA, Premea white chrome baskets (5 pcs.)	0250
4090002832	400 mm	HSA, Premea white chrome baskets (5 pcs.)	0250
409A90004863	300 mm	HSA, Premea Glassline baskets (2 pcs.)	0250
409B90004864	300 mm	HSA, Premea Glassline baskets (3 pcs.)	0250
409C90004865	400 mm	HSA,Premea Artline white chrome baskets (2 pcs.)	0250
409D90004866	400 mm	HSA, Premea Artline white chrome baskets (3 pcs.)	0250
409E90004544		HSA, Glass sides at 50% discount until stock is finished	0250


### Cabinet dimension



### HSA pull-out larder Basic unit in Classic

Art. No.	Cabinet width	Details	TR
4490004527		HSA runner	0251
4390005701		HSA, frame: 1700 - 1950 mm	0251
4790004528	300 mm	HSA front attachment	0250
4190001244	400 mm	HSA front attachment	0250
4590000629	300 mm	HSA, Classic chrome baskets	0251
4690000310	400 mm	HSA, Classic chrome baskets	0251

Note: Set includes 5 baskets.



Cabinet width	Width
300 mm	250 mm
400 mm	350 mm
500 mm	450 mm



## HSA ROTARY PULL-OUT LARDER UNIT

The fully opened access the optimum extended cabinet can be turned either to the right or to the left.

The user can easily access the optimum section from that position. An elegant and uniform design is achieved by double powder-coated fittings and front covers with integrated 3-D front adjustment. The heavy-duty slide rail guarantees a highly reliable long-term handling.

#### **Details**

■ Cabinet widths: 300 and 400 mm

■ Installation depth: 500 mm

■ Installation height: HSA 1790 - 2040 mm

■ EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails

■ 3-D front adjustment allows simple, convenient front adjustment


Front stabilised by fascia strips

■ Maximum total-bearing: 120 kg

■ Storage version: Premea

Art. No.	Cabinet width	Details	TR
4390003118	300 mm	HSA rotary, Premea	0255
4490003122	400 mm	HSA rotary, Premea	0255
4590002616	300 mm	HSA divider, chrome	0250
4690002620	400 mm	HSA divider, chrome	0250

### Cabinet dimension







Power move for HSA und HSA rotary

# HSA POWER MOVE


#### Electric motor support for super easy opening: HSA power move

A typical situation in kitchens every day: No free hand to open the cabinet? that is no problem anymore because a gentle pushing at the front triggers the opening process. Silently and smoothly the door opens also because of an integrated pull-out damping. Frame and fronts are made of the same high quality double-coated surface by high-grade appearance.

#### **Details**

- Easy installation at the existing HSA and HSA rotary
- Intelligent load control for load independent opening
- Opening and closing is triggered by gently pulling or pushing

Art. No.	Details	
4690003316	Powe move for HSA	0250
4690003557	Powe move adapter for HSA rotary	0250



Adapter for HSA

Adapter for HSA rotary



# KI50 BOTTLE PULL-OUT

The new K150 bottle pull-out storage unit is a good storage place for homemade fruit juices and wines. Already familiar from the base cabinet, it is now available for high cabinets from a height of 185 centimetres and in this version presents itself as, among other things, a convenient end cabinet. Fitted with the Classic basket variant, it is a real eye-catcher and offers adequate storage space for 16 bottles and further accessories.

#### **Details**

- Cabinet width: I50 mm
- Installation depth: 500 mm
- Minimum installation height: 1750 mm
- Versions

#### With front attachment


runners are screwed on the right side of the cabinet.


- Runner system
  under mount slide with soft close and damping
- 3-D front adjustment allows simple, convenient front adjustment
- Integral soft-closing and self-closing

Art. No.	Cabinet width	Details
90006348	150 mm	KI50 bottle pull-out, chrome

#### Cabinet dimension

#### Product dimension







# KI50 TALL PULL-OUT

Complete pull-out and elegant design allows access to the contents of every basket using a minimum space.

#### **Details**

- Cabinet width: 150 mm
- Installation depth: 500 mm
- Minimum installation height: 1750 mm
- 3-D front adjustment allows simple, convenient front adjustment
- Maximum load-bearing: 25 kg in total

Art. No.	Cabinet width	Details
90006347	150 mm	K150 tall pull-out, chrome

#### Cabinet dimension

# 16 - 19 mm um 005

#### Product dimension











# T.O.M. DOOR ORDER MODULE

T.O.M. Door Order Module: more space and order for all the little things at last.


The drawer chaos in kitchens, apartments, bathrooms and offices has finally come to an end. All the small and useful things of our daily life that were stuffed into drawers are put into order and have their place now. T.O.M., the Door Order Module, is a unique Vauth-Sagel invention. Optimal use of limited storage space; every inch is used in an efficient way. T.O.M. is simply a genius in using the space of cabinet doors that is normally wasted. Easy installation. Any cabinet door offers the necessary space for T.O.M.


#### **Details**

- Construction: high-tech aluminium frame with different storage elements made of scratch-prrof glassy plastic
- Cabinet widths: 400, 450, 500 and 600 mm
- Installation height: min. 480 mm
- Four different kinds of storage elements in every T.O.M.:
  - I. Low, but wide elements
  - 2. Narrow, but deep elements
  - 3. Magnetic areas
  - 4. Hook strips with bungee cords
- Hidden fixing points, no screws spoil the sleek design
- Retrofitting also possible for older wall cabinets
- Adapters for specific doors are included

Art. No.	Cabinet width	Details	TR
9290003313	400/450 mm	T,O,M.	0265
9290003314	500 mm	T.O.M.	0265
9290003315	600 mm	T.O.M.	0265

#### Cabinet dimension





# OUR UNIQUE MATERIAL EXPERTISE IN PROCESSING WIRE, STEEL, SHEET METAL, WOOD AND PLASTIC.

Whether we are producing components from wire, steel, sheet metal, wood or plastic – our yardstick is perfection. Our total concept, »unique material expertise under one roof« creates for our customers a unique value-added chain. Our central development department can create numerous possibilities by combining several different materials.

It doesn't matter whether the material is wire, steel, sheet metal, wood or plastic, or whether the ideal product for the customer is a combination of all five, our reply to the demands posed by the industry is always: for individual system solutions using a variety of materials, Vauth-Sagel is your number one contact both now and in the future.

Caravaning



Automotive



Medical/Care



Multimarket



# THE BEST SOLUTIONS FOR THE MOST SECTORS

#### Caravaning

As specialists in intelligent storage solutions we can provide the caravaning sector with a whole range of products that entirely meet comfort and design requirements as well as safety standards.

#### Automotive

For decades now it has been our practice as well as one of our strengths to develop production-ready products in close consultation with our customers. These are then manufactured and further improved in-house, without loss of time.

#### Medical/Care

Medical and care technology demand an especially high safety standard, particularly in terms of precision as the health of each patient is at stake. Prominent clients rely on our operational excellence in this sector.

#### Multimarket

Vauth-Sagel develops and produces system components for a broad palette of applications. Market-oriented solutions that can be individually implemented for each client and which complete our portfolio.

Location Brakel-Erkeln: wire processing and headquarter production area 22,000 m<sup>2</sup>



Location Paderborn: injection moulding production area 33,000 m²



Location Beverungen: woodworking production area 21,000 m²



Location Korbach: sheet metal processing production area 27,000 m<sup>2</sup>



### MADE IN GERMANY

#### Dependable quality.



Vauth-Sagel has been developing and finishing its products at its manufacturing base in Germany for more than 50 years. Thanks to our expertise and attention to detail, we are able to create top-quality, innovative products, and have thus become an important partner in the national and international furniture industry.

The familiar global brand term »Made in Germany« now has more meaning than ever. Across all the important markets worldwide, this phrase represents not just the highest product quality and outstanding engineering, but also reliable delivery and comprehensive services. This brand term is an important selling point for us in the global marketplace. So important, that in future it will be brought more sharply into focus in our communication.

The German guarantee of quality forms the basis of the Vauth-Sagel quality label, which in future will not only verify the product's provenance but will also have the potential to highlight its outstanding properties.

- EasyFit user-friendly assembly
- FSC® certification for timber used
- ISO I4001
  International environmental management standard
- LGA-tested
   German product safety guarantee

In order to satisfy these demands, we shall be developing and manufacturing our products in Germany today and in the future. »Think global, act local«, a company principle with promise.

#### Data and facts

800 employees in total, of whom 76 apprentices in 16 apprenticeship ares

Production areas: 103.000 m<sup>2</sup>

Types of product: over 7.500

Products manufactured annually: more than 20 million

Products manufactured daily: approx. 90.000

Export quota: 55%



## **ECOLOGY AND SUSTAINABILITY**

The basis of our decision-making for over five decades.

Our long-term success is based not only on the targeted direction of our product development processes or even on our forward-looking corporate business policies, but also on a conscientious approach to how we obtain the necessary resources and respect the environment. Quality, safety at work and environmental consideration together with efficiency and the responsible use of energy are some of our principal corporate aims and are also the personal responsibility of each and every employee. Our responsibility for the environment is firmly anchored as an overarching principle in the Vauth-Sagel corporate image.

#### ■ What does this mean for Vauth-Sagel?

The reassuring feeling of not only talking about sustainability but also of translating our policies into actions.

■ What does this mean for Vauth-Sagel customers?

Collaboration with a partner who has a documented policy of responsible trading.

#### The focus is on:

- Active employee protection
- Reasonable use of materials and energy
- Minimal environmental pollution and damage
- Sustainable product development

It goes without saying that compliance with current regulations is part of this, but it also includes the determination to monitor every process every day and to optimise them above and beyond the required standard.





# A FAMILY-RUN CONSORTIUM

More than 50 years in the service of our customers.

For over 50 years, the owner-run family company has been developing, manufacturing and distributing system components of various materials for the medical/care, automotive and caravanning sectors as well as innovative storage space systems for the kitchen and furniture industry. Furthermore, the company offers complete office and care solutions for customers across the globe. To this end, Vauth-Sagel specifically deploys its many years of wire, steel, sheet metal, wood and plastic material competencies. Around 850 employees develop and manufacture far more than 85 million 'Made in Germany' quality products each year. In-house logistics and a global sales and distribution team round off the tailored range of products and services for clients throughout the world.

This is our understanding of »Added value, Made in Germany«.

# CONTACT



Office:

CC-Products Oy

Liikkalankuja 6, PL 185 00950 Helsinki

Finland

Sales:

Tel. +358 (0) 44 300 5003

Orders:

tilaukset@cc-p.fi www.cc-p.fi

Tel. +358 (0) 44 300 5003 Fax +358 (0) 19 523 20 87

Technical help:

Tel. +358 (0) 40 758 41 36

Warehouse:

Lapinjärventie 77 07800 Lapinjärvi

#### IMPRINT

It is in its entirety the property of Vauth-Sagel and must not be reproduced in any way. We reserve all rights under copyright law. We take no responsibility for any typographical errors or mistakes which may have occurred during the production of this brochure. Measurements and dimensions are not binding. We reserve the right to make constructional and technical alterations.

#### FSC® (FSC-C116128)

We buy and use mainly FSC® Mix "from responsible sources". Purchasing, storage, Processing and sales of FSC® products are monitored by an FSC®-accredited certifier. Our certification runs under the COC (Chain of custody). The system of chain of custody certification guarantees consumers that actually comes with FSC® seal the wood product from a certified and responsibly managed forestry operation.

#### PUBLISHED BY

Vauth-Sagel | Neue Straße 27 | D-33034 Brakel-Erkeln Phone: +49 (0) 5272 601-01 | email: vs@vauth-sagel.de | www.vauth-sagel.com

August 2016 | © by Vauth-Sagel | All rights reserved

Vauth-Sagel app: More information and product details





The Vauth-Sagel app provides dealers, cabinet makers, joiners and installers all the information they need on every aspect of the Vauth-Sagel products.

VAUTH-SAGEL | vs@vauth-sagel.de | www.vauth-sagel.com