





VS COR Flex 480



pull-out movement



Cabinet dimensions

External width: min. 900 - 1,200 mm

Door width: min. 450 mm

Internal height: min. 530 mm

Specifications

Full extension with damping


Fitting: RAL 9006 silver (clear coat),
RAL 9010 white, champagne, lava grey

Baskets: Chrome, RAL 9006 silver (clear coat),
RAL 9010 white, champagne, lava grey


Load capacity of baskets:

Front baskets 8 kg
Rear baskets 8 kg


Basket variants:



Classic



Saphir



Premea

Cabinet dimensions


	K 900	K 1,000	K 1,200
B	min. 900	min. 1,000	min. 1,000
T	min. 450	min. 500	min. 600
W	≥ 411	≥ 461	≥ 561

Basket dimensions (front baskets)


Cabinet	basket width			basket depth			basket height	
	900	1,000	1,200	900	1,000	1,200	Classic Saphir	Premea Premea Artline
	280	325	350	415	415	415	75	84

Basket dimensions (rear baskets)

Cabinet	basket width			basket depth			basket height	
	900	1,000	1,200	900	1,000	1,200	Classic Saphir	Premea Premea Artline
	280	325	400	375	375	375	75	84




K 900
K 1000
K 900
K 1000
K 1200



K 900
K 900
K 1000
K 1200
K 1000
K 1200

32 mm

K 900
K 900
K 1000
K 1200
K 1000
K 1200




04/2017
900
1000
1200
VS COR Flex 480 R



VAUTH
SAGEL
QUALITY
MADE IN GERMANY

B


K 900
K 1000
K 1200
K 900
K 1000
K 1200



K 900
K 900
K 1000
K 1200
K 1000
K 1200

32 mm

04/2017
900
1000
1200
VS COR Flex 480 L











K 900
K 900
K 1000
K 1200
K 1000
K 1200

14 mm
44 mm



99 mm

224 mm
274 mm
304 mm
484 mm
534 mm
564 mm



A





VAUTH SAGEL
VS COR Flex 480 L
900
1000
1200



VAUTH SAGEL
VS COR Flex 480 R
900
1000
1200




VAUTH SAGEL
VS COR Flex 480 R
900
1000
1200




04 / 2017



VS COR Flex 500/550



pull-out movement



Diag: left side pulled out

Cabinet dimensions

- External width:** min. 900 - 1,200 mm
- Door width:** min. 450 mm
- Internal height:** min. 530 mm

Specifications


Full extension with damping

- Fitting:** RAL 9006 silver (clear coat), RAL 9010 white, champagne, lava grey
- Baskets:** Chrome, RAL 9006 silver (clear coat), RAL 9010 white, champagne, lava grey


Load capacity of baskets:

- Front baskets 8 kg
- Rear baskets 8 kg

Basket variants:



Cabinet dimensions



	K 900	K 1,000	K 1,200
B	min. 900	min. 1,000	min. 1,000
T	min. 450	min. 500	min. 600
W	≥ 381	≥ 445	≥ 521

Basket dimensions: (front baskets)

Cabinet	basket width			basket depth		
	900	1,000	1,200	900	1,000	1,200
	280	350	350	415	415	415

Basket height

Classic	Premea
Saphir	Premea Artline
75	84









Basket dimensions: (rear baskets)

Cabinet	basket width			basket depth		
	900	1,000	1,200	900	1,000	1,200
500	280	325	400	415	415	415
550				500	500	500

Basket height

Classic	Premea
Saphir	Premea Artline
75	84

We reserve the right to make technical changes and to improve product specifications. All measurements in millimeters.



VS COR Flex 500 R
 900
 1000
 1200
 04/2017